



WORKWEAR & PPE CATALOGUE

VOLUME 2




BOOMERANG

ABOUT COLE SUPPLIES

The Boomerang® range of workwear is proudly designed and manufactured by Cole Supplies Pty Ltd - a Noongar owned and operated West Australian company.

The Supply Nation certified business was founded by Perth businessman and Noongar community leader, Gordon Cole and has grown to be one of the largest Indigenous safety wholesalers in Australia.

Headed by Gordon Cole and Michael Cima, the business is leading the way in creating real jobs for indigenous employees and are committed to giving back to local Indigenous communities.



COLE WORKWEAR

CAPABILITY • VALUE • QUALITY



IN 2016 the business took out the Supplier to Supplier Partnership of the Year award at the annual Supplier Diversity Awards.



CEO, GORDON COLE



GENERAL MANAGER, MICHAEL CIMA

14 NOONGAR CLANS


ABOUT OUR BRAND BOOMERANG

Supporting the customer is a paramount objective and to that end Cole Supplies has established the Boomerang® range, designed in Australia, for Australians, to bring quality back into your workwear.

The brand is synonymous with high quality fabrics and fashionable cuts, supreme comfort and safety as well as innovative features and benefits.

The distinctive and unique Boomerang® logo, featuring four 'kylees'* owes its origins to Gordon's four children and represents the significant link to the Noongar people and the land. The swirls within each Boomerang also illustrate our nation's waterways which hold real significance to all First Nation peoples.

The 'kylees' or boomerangs within the brand also represent diversity and ingenuity, something the Boomerang brand always aspires to deliver.



BOOMERANG

***IN NOONGAR LANGUAGE**, a 'Kylee' is a flat curved piece of wood similar in appearance to a boomerang that is thrown when hunting for birds and animals.

The kylee, is an ancient yet scientifically advanced hunting multi-tool which is extremely effective, durable and strong – all qualities our Boomerang range intrinsically feature.



SAFETY WEAR RANGE

IN HOT ENVIRONMENTS

choosing the right garment is important for all employees to keep them safe and as comfortable as possible on the job. Our horizontal vented Ripstop shirts are made from premium cotton for added comfort and breathability.

**KEEPS YOU
COOLER**


LIGHTWEIGHT
145GSM
COTTON

**UNDERARM VENTING
FOR BREATHABILITY AND
COOLING**

**ADJUSTABLE BUTTON CUFF
WITH BOOMERANG FEATURE**

REFLECTIVE TAPE

**RIPSTOP FABRIC PROVIDES
EXCELLENT TEAR RESISTANCE**





BOOMERANG SAFETY WEAR RANGE



LIGHTWEIGHT
145GSM
COTTON



LIGHTWEIGHT
145GSM
COTTON



MENS LIGHTWEIGHT VENTED SHIRT

CW9186497 | SIZES S - 5XL
145GSM 100% COTTON RIPSTOP



TEAR RESISTANT
RIPSTOP FABRIC

FEATURES

- Lightweight and breathable
- Double hoop tape configuration and single hoop at sleeves
- 50mm Reflective Tape
- Horizontal back and underarm venting
- Left hand side pocket with pen partition

WOMENS LIGHTWEIGHT VENTED SHIRT

CWL918697 | SIZES 6 - 22
145GSM 100% COTTON RIPSTOP



TEAR RESISTANT
RIPSTOP FABRIC

FEATURES

- Lightweight and breathable
- Double hoop tape configuration and single hoop at sleeves
- 50mm Reflective Tape
- Horizontal back and underarm venting
- Left hand side pocket with pen partition



REGULAR
WEIGHT
190GSM
COTTON



CLASS D/N
DAY OR NIGHT USE



SUN
PROTECTION



STATIC
CONTROL



CLASS D/N
DAY OR NIGHT USE



SUN
PROTECTION



STATIC
CONTROL

MENS 2 TONE HOOP TAPED CLASSIC SHIRT

CW9186441 | SIZES S - 6XL
190GSM 100% COTTON DRILL

FEATURES

- Classic hard wearing long sleeve Day/Night Shirt
- Double hoop tape configuration and single hoop at sleeves
- 50mm Reflective Tape
- Twin patch chest pockets with button closure
- Left hand side pocket with pen partition

UNISEX 2 TONE HOOP SEGMENTED TAPED VENTED COTTON POLO

CW9186485 | SIZES XS - 6XL
180GSM 100% COTTON JERSEY

FEATURES

- 2 Tone vented cotton long sleeve Day/Night polo
- Double hoop tape configuration and single hoop at sleeves
- 50mm heat seal segmented reflective tape
- Underarm mesh vents and horizontal back yoke venting
- Left hand side pocket with pen partition

BOOMERANG SAFETY WEAR RANGE



LIGHTWEIGHT
190GSM
COTTON



LIGHTWEIGHT
190GSM
COTTON



MENS LIGHTWEIGHT UTILITY PANT

CW0003316 | SIZES 82R - 112R, 87S - 132S
190GSM 100% COTTON DRILL

FEATURES

MODERN
FIT DESIGN

- Lightweight drill modern fit pant
- Mitred front side pockets
- Inseam back yoke pockets
- RHS back pocket with zipper & LHS back tool pocket

MENS LIGHTWEIGHT TAPED UTILITY PANT

CW0008316 | SIZES 82R - 112R, 87S - 132S
190GSM 100% COTTON DRILL

FEATURES

MODERN
FIT DESIGN

- Lightweight drill modern fit pant
- Single hoop 50mm reflective tape above knee
- Mitred front side pockets
- Inseam back yoke pockets
- RHS with zipper closure and LHS tool pocket only



MIDWEIGHT
270GSM
COTTON



NIGHT USE
ONLY



SUN
PROTECTION



STATIC
CONTROL

MENS TAPED COTTON CARGO PANT

CW0008315 | SIZES 82R - 112R, 87S - 132S, 79L - 94L
270GSM 100% COTTON CANVAS

FEATURES

- Modern fit - slimmer legs
- Single hoop 50mm Reflective Tape
- Multi Cargo pockets with pocket flap at right leg
- Cargo tool pocket at left leg
- Mitred back pockets
- Right Back ruler/ tool pocket

MODERN
FIT DESIGN



BOOMERANG SAFETY WEAR RANGE



MENS STRETCH COTTON JEANS

CW0003317 | SIZES 77R - 107R, 87S - 132S, 79L-99L
13.05oz, 430GSM 98% COTTON, 2% ELASTANE DENIM

FEATURES

MODERN
FIT DESIGN

- New dark denim in traditional straight leg cut
- Front side pocket with coin pocket at RHS
- Twin back patch pocket with detail stitching
- Knee darts

MENS STRETCH TAPED JEANS

CW0008317 | SIZES 77R - 112R, 87S - 132S
13.05oz, 430GSM 98% COTTON, 2% ELASTANE DENIM

FEATURES

MODERN
FIT DESIGN

- New dark denim in traditional straight leg cut
- Single hoop tape above the knee
- Twin back patch pocket with detail stitching
- Knee darts



WOMENS TAPERED FIT JEAN


CWL003337 | SIZES 6 - 22

13.05oz, 430GSM 98% COTTON, 2% ELASTANE DENIM

FEATURES

- Curved waistband with metal stud
- Front side pocket with coin pocket at RHS
- Metal rivets at each end of front pockets
- Twin back patch pocket with detail stitching
- Tan coloured thicker thread
- Knee darts

MODERN
FIT DESIGN



BOOMERANG FLAME RESISTANT (FR) WORKWEAR

keeps you protected from the risk of exposure to Fire or Arc Flash. It is self-extinguishing when exposed to flame, dramatically reducing the severity of burn injuries. All of our FR range (apart from our FR jeans, which are chemically FR treated) is made from technologically advanced Quantum Guard® fabric.

THE QUANTUM GUARD® FABRIC RANGE OFFERS

Inbuilt (inherent) protection from burns, heat stress, and heat stroke caused by flash fires and electric arcs. Made from a blend of Lenzing™ FR fibres Quantum Guard® fabric also delivers superior comfort and durability for extended wear and safety.

ABOUT LENZING™ FR FIBRE BLENDS

LENZING™ FR is a sustainably produced inherently flame-resistant cellulosic fiber based on the renowned Modal Technology. LENZING™ FR fibers meet the definition of "inherently flame retardant and resistant fibres" as specified by the European Man-made Fibers Association (CIRFS).

LENZING™ FR is commonly blended with other high performance fibres to produce unique protective solutions for a variety of industrial applications. LENZING™ FR fibres typically contribute both protective qualities and enhanced comfort to these fabric blends. By enhancing the breathability of the fabric, they offer a significant reduction of heat stress, a major concern especially in hot climates.

LENZING™ FR FIBRES OFFER PROTECTION FROM



Fire



Radiant Heat



Electric Arcs



FLAME RESISTANT (FR) FABRIC GUIDE

Traditional flame resistant (FR) workwear has been hot and heavy to wear, an issue for many Australian workers. Quantum Guard® fabric not only self-extinguishes flame but also helps to reduce heat stress.

- Inherently flame-resistant (FR) fabric - the protection will not wash out or wear away
- Provides moisture wicking that moves sweat away from the skin
- All Quantum Guard® garments are soft and ready-to-wear

✓ Our Boomerang® FR range provides PPE Category 1 or 2 protection. The soft and comfortable twill and ripstop fabric within our garments ranges from 160gsm to 250gsm.



HAZARD / RISK CATEGORY	REQUIRED MIN. ARC RATING OF PPE CAL/CM ²
1 PPE	4
2 PPE	8
3 PPE	25
4 PPE	40



 NAVY
250GSM
Twill



 ORANGE / YELLOW
215GSM
Twill



 NAVY
185GSM
Twill



 YELLOW / ORANGE / NAVY
160GSM
Ripstop

FR SHIRT RANGE




OUR NEW LIGHTWEIGHT FLAME RESISTANT (FR) SHIRTS provide superior protection from burns, heat stress and heat stroke - enabling you to stay protected and cool all year round. With Quantum Guard® inherent fabric you have peace of mind that your workers are safer.

3 PIECE EXTENDED COLLAR FOR EXTRA PROTECTION

BOOMERANG SHAPED FLAP WITH INTERNAL BUILT IN WELT POCKET

LOXY FR REFLECTIVE TAPE



FR PANT RANGE



HIGH PERFORMANCE FABRICS

Keep you protected in hot environments. Our range of flame resistant trousers are made from naturally blended Quantum Guard® fabric, providing inbuilt protection from flash fires and electric arcs, while also offering a comfortable fit.

**CURVED WAISTBAND FOR
EXTRA COMFORT**

**BOOMERANG SHAPED FLAP
WITH INTERNAL WELT POCKET**

LOXY FR REFLECTIVE TAPE

INHERENT FR FABRIC



PPE 1 FR RANGE



Lenzing FR



CLASS D/N
DAY OR NIGHT USE



SUN
PROTECTION

MENS LIGHTWEIGHT FR VENTED SHIRT

CW918640F | SIZES S - 6XL

160GSM LENZING FR / ARAMID / ANTI-STATIC RIPSTOP

FEATURES

FR PPE 1
ATPV 4-7

- Inherent lightweight FR fabric
- Gusset sleeve and concealed stud closure to meet NENS Guidelines
- Double hoop tape configuration and single hoop at sleeves
- 50mm FR Reflective Tape
- Horizontal back venting and underarm mesh vents
- 3 piece extended collar



EXTRA
SMALL SIZING
TO CATER FOR
WOMEN



Lenzing FR



CLASS D/N
DAY OR NIGHT USE



SUN
PROTECTION

UNISEX LIGHTWEIGHT FR X BACK VENTED SHIRT

CW093840F | SIZES 2XS - 6XL

160GSM LENZING FR / ARAMID / ANTI-STATIC RIPSTOP

FEATURES

FR PPE 1
ATPV 4-7

- Inherent lightweight FR fabric
- Gusset sleeve and concealed stud closure to meet NENS Guidelines
- H and X back tape configuration and single hoop at sleeves
- 50mm FR Reflective Tape
- Horizontal back venting and underarm mesh vents
- 3 piece extended collar



*LN BY SPECIAL ORDER ONLY

WOMENS LIGHTWEIGHT FR VENTED SHIRT

CWL91860F | SIZES 6 - 22


160GSM LENZING FR / ARAMID / ANTI-STATIC RIPSTOP

FEATURES

FR PPE 1
ATPV 4-7

- Inherent lightweight FR fabric
- Gusset sleeve and concealed stud closure to meet NENS Guidelines
- Double hoop tape configuration and single hoop at sleeves
- 50mm FR Reflective Tape
- Horizontal back venting and underarm mesh vents
- 3 piece extended collar

* Special Order only with minimum order requirements. Please contact your local Bunzl Safety representative for further details.



PPE 2 FR RANGE

THESE GARMENTS OFFER PPE2 PROTECTION

ATPV range 8-25. The Boomerang® shirt range is anti-static and suitable for the following industries; oil and gas, mining, and utilities. Provides Arc Flash protection for electricians and engineers.



Lenzing FR



SUN PROTECTION

MENS FR VENTED SHIRT

CW918641F | SIZES S - 6XL

185GSM-NAVY, 215GSM-ORANGE

LENZING FR / ARAMID / ANTI-STATIC TWILL



NEW



Lenzing FR



SUN PROTECTION

MENS FR VENTED 2TONE TAPED SHIRT - PATCH POCKETS

CW918642F | SIZES S - 6XL

215GSM-YELLOW, 185GSM-NAVY LENZING FR / ARAMID / CARBON

FEATURES

FR PPE 2
ATPV 8-25

- Inherent FR fabric
- Gusset sleeve and concealed stud closure to meet NENS Guidelines
- 2Tone body and sleeve lower panels
- 50mm FR Reflective Tape
- Horizontal back venting and underarm mesh vents

FEATURES

FR PPE 2
ATPV 8-25

- Inherent FR fabric
- Compliant generic 50mm FR Reflective Tape
- 2 Tone body and sleeve contrast panels
- 2 piece collar
- Twin patch chest pockets with touch tape closure
- Horizontal back venting and underarm mesh vents

BOOMERANG PPE2 FR SHIRT RANGE



CLASS D/N
DAY OR NIGHT USE



SUN
PROTECTION



CLASS D/N
DAY OR NIGHT USE



SUN
PROTECTION

UNISEX FR X BACK VENTED SHIRT

CW093842F | SIZES 2XS - 6XL

215GSM LENZING FR / ARAMID / ANTI-STATIC TWILL

WOMENS FR VENTED SHIRT

CWL91864F | SIZES 6 - 22

185GSM-NAVY, 215GSM-ORANGE

LENZING FR / ARAMID / ANTI-STATIC TWILL

FEATURES

FR PPE 2
ATPV 8-25

- Inherent FR fabric
- Gusset sleeve and concealed stud closure to meet NENS Guidelines
- H and X back tape configuration and single hoop at sleeves
- 50mm FR Reflective Tape
- Horizontal back venting and underarm mesh vents
- Extra small sizing to cater for women

FEATURES

FR PPE 2
ATPV 8-25

- Inherent FR fabric
- 2 Tone body and sleeve lower panels
- Gusset sleeve and concealed stud closure to meet NENS Guidelines
- 50mm FR Reflective Tape
- Horizontal back venting and underarm mesh vents

BOOMERANG PPE2 FR PANT RANGE



MENS FR TAPED UTILITY PANT

CW008330F | SIZES 82R - 112R, 87S - 122S
255GSM LENZING FR / ARAMID / ANTI-STATIC TWILL

FEATURES

FR PPE 2
ATPV 8-25

- Inherent FR fabric
- Single hoop FR Reflective Tape - 50mm at legs
- Side elastic panel at waistband
- Knee darts

MENS FR TAPED CARGO PANT

CW008331F | SIZES 82R - 112R, 87S - 132S
255GSM LENZING FR / ARAMID / ANTI-STATIC TWILL

FEATURES

FR PPE 2
ATPV 8-25

- Inherent FR fabric
- Single hoop FR Reflective Tape - 50mm at legs
- Twin cargo patch angled pockets and flaps and touch tape closure
- Left hand side cargo pocket with additional tool entry
- Knee darts





MRC III
C6-150

UNIT
CCI

⚠ DANGER
FALLING OBJECT HAZARD
STAY AWAY FROM THE WORK AREA
WHEN THE MACHINE IS IN OPERATION
OR BEING MAINTAINED.
SEE THE OPERATOR'S MANUAL FOR
SAFETY INFORMATION.

⚠
ALWAYS
USE THE
SAFETY
DEVICES
ON BOARD

BOOMERANG PPE2 FR PANT RANGE



WOMENS FR TAPED UTILITY PANT

CWL08332F | SIZES 6 - 22

255GSM LENZING FR / ARAMID / ANTI-STATIC TWILL

FEATURES

FR PPE 2
ATPV 8-25

- Inherent FR fabric
- Ladies curved waistband with peak extension button closure
- Single hoop FR Reflective Tape - 50mm at legs
- Side elastic panels at waistband
- Front side entry pockets and right side pocket with flap

MENS FR JEANS

CW008333F | SIZES 77R - 112R

12oz 340GSM 100% COTTON DENIM FR TREATED

FEATURES

FR PPE 2
ATPV 8-25

- Straight waistband with button closure
- Modern straight leg cut
- Knee darts
- Built in flat, reinforced welt pocket

FR COVERALL RANGE

COMPLETE WITH ADDITIONAL VENTS, these garments keep you cool and are highly suited to the oil and gas industry.



CLASS D/N
DAY OR NIGHT USE



SUN
PROTECTION



CLASS D/N
DAY OR NIGHT USE



SUN
PROTECTION

MENS FR TAPED VENTED COVERALLS

CW091811F | SIZES 82R - 112R
215GSM LENZING FR / ARAMID / ANTI-STATIC TWILL

FEATURES

FR PPE 2
ATPV 8-25

- Inherent FR fabric
- Hi vis FR vented coverall
- Double hoop tape configuration at body and sleeves
- 50mm FR Reflective Tape
- Horizontal back venting and underarm mesh vents
- Gusset sleeve and concealed stud closure to meet NENS Guidelines

MENS FR TAPED VENTED COVERALLS

CW918610F | SIZES 82R - 112R
185GSM-NAVY, 215GSM-ORANGE
LENZING FR / ARAMID / ANTI-STATIC TWILL

FEATURES

FR PPE 2
ATPV 8-25

- Inherent FR fabric
- 2 Tone body and sleeve lower panels
- Double hoop tape configuration at body and sleeves
- 50mm FR Reflective Tape
- Horizontal back venting and underarm mesh vents
- Gusset sleeve and concealed stud closure to meet NENS Guidelines



BOOMERANG ACCESSORIES



EN 388



4X42C

Cat. II



EN 388



4X42C

Cat. II



MAARAKA CUT C NITRILE GLOVE

CWMAARAC5FY | SIZES S - 3XL

Provides high cut C protection with a 13 gauge shell and nitrile foam coating for enhanced dexterity, protection and grip. A reinforced thumb and crotch layer provides extra durability.

APPLICATIONS: Injection moulding operations, automotive assembly, glass and ceramics handling, construction, mining.

FEATURES

- Cut level C protection
- Seamless 13 gauge shell for enhanced dexterity
- Micro foam nitrile coat for superior wet and oily grip
- Air capillaries provide enhanced padding and vibration

BOORNINY CUT C GLOVE

NB0ORN201BB | SIZES S - 2XL

Combining the dexterity, breathability and flexibility of a seamless glove with superior cut C protection.

APPLICATIONS: Injection moulding operations, automotive assembly, glass and ceramics handling, construction, mining.

FEATURES

- Cut level C protection
- Seamless 13 gauge shell for enhanced dexterity
- Micro foam nitrile coat for superior wet and oily grip
- Air capillaries provide enhanced padding and vibration



EN 388



4X33E

Cat. II



EN 388



4X33EP

Cat. II



360° CUT E RIGGERS GLOVE

CWCUTRIGEW | SIZES S - 2XL

Providing maximum dexterity, durability and protection. The goatskin leather Boomerang Riggers glove provides 360° cut level E protection.

APPLICATIONS: Construction, heavy equipment operation, carpentry, power tool operation, towing & transportation, haulage, landscaping and DIY home improvement.

FEATURES

- Goatskin leather for a soft, luxurious feel, movement & extra comfort
- 360° high cut resistance EN388:2016 rated level E liner
- Kevlar thread stitching for strength and heat resistance
- Winged thumb for increased flexibility and comfort
- Shirred elastic wrist and grip tab for a secure fit

360° IMPACT RIGGERS CUT E GLOVE

CWCUTPRIGWW | SIZES S - 2XL

Featuring all the benefits of a tough, comfortable, cut E resistant riggers glove, with added finger and knuckle impact protection.

APPLICATIONS: Construction, landscaping, resources, mining, oil, gas, automotive, mechanical, metal and glass handling and machinery work.

FEATURES

- 360° Cut Level E Protection to EN388:2016 - rated level E liner
- Flexible TPR (thermoplastic rubber) finger & knuckle impact protection
- Goatskin leather for a soft, luxurious feel, movement & extra comfort
- Kevlar thread stitching for strength and heat resistance
- Winged thumb for increased flexibility and comfort
- Shirred elastic wrist and grip tab for a secure fit

BOOMERANG ACCESSORIES



EN 388



2111

Cat. II



MOORDITJ MAAR MECHANICS GLOVE

NM00RD202BB | SIZES S - 2XL

An all-purpose mechanics glove with a premium grain leather palm for comfort and flexibility.

APPLICATIONS: Automotive, shipping, power tools, construction, carpentry, mining, gardening and landscaping.

FEATURES

- Premium 0.8mm breathable synthetic leather palm
- Neoprene padded palm for vibration reduction and comfort
- Perforated forchettes for increased coolness and air flow
- Four way stretch spandex for full movement
- Grip tab closure for increased comfort and improved fit





PPE CLEANING WIPES

CWSPCWIPE000300 | PACK QTY 300

All purpose lens & PPE cleaning wipes, individually wrapped and sealed.

APPLICATIONS: Suitable for glasses, monitors, goggles, face shields, respirators and mobiles.

FEATURES

- Streak free, anti-fog pre moistened towelettes
- Individually wrapped for convenience and storage
- Wipe material made from non woven, biodegradable tissue
- Ideal size for small or larger screens and items: 140mm x 160mm

MENS BAMBOO SOCKS

CWBAMSOCK | SIZES 6-10, 11-14

78% BAMBOO, 20% NYLON, 2% ELASTANE

An eco-friendly cotton alternative that is both comfortable and soft on your feet. The high bamboo content ensures these socks are both antibacterial and extremely absorbent.

FEATURES



- Natural breathable bamboo fibre
- Additional blend of nylon and elastane for hard-wearing and flexibility
- Naturally anti-bacterial to help combat odour
- Soft and comfortable for all-day wear

MEASURING AND FIT SIZE GUIDE

FOR A COMFORTABLE FIT
IT IS IMPORTANT TO MEASURE CORRECTLY

WHEN MEASURING MAKE SURE THE TAPE
MEASURE IS LEVEL AND NOT TIGHT

THIS GUIDE FOLLOWS THE AUSTRALIAN **BODY SIZING**
MEASUREMENTS RECOMMENDATION.
THESE ARE NOT GARMENT MEASUREMENTS
(WITH THE EXCEPTION TO FIT WAIST FOR SHORT/PANTS)



PANTS & COVERALL SIZES	72	77	82	87	92	97	102	107	112		
COVERALLS IMPERIAL SIZE	2	3	4	5	6	7	8	9	10		
COVERALLS TO FIT WAIST (cm)	72	77	82	87	92	97	102	107	112		
REGULAR SIZES	72R	77R	82R	87R	92R	97R	102R	107R	112R		
TO FIT WAIST (cm)	82	87	92	97	102	107	112	117	122		
TO FIT WAIST (inches)	28	30	32	34	36	38	40	42	44		
TO FIT INLEG (cm)	71	74	77	79	82	83	84	87	87		
STOUT SIZES	82S	87S	92S	97S	102S	107S	112S	117S	122S	127S	132S
TO FIT WAIST (cm)	82	87	92	97	102	107	112	117	122	127	132
TO FIT WAIST (inches)	32	34	36	38	40	42	44	46	48	50	52
TO FIT INLEG (cm)	69	69	71	74	76	79	79	81	81	83	83
LONG SIZES	74L	79L	84L	89L	94L						
TO FIT WAIST (cm)	74	79	84	89	94						
TO FIT WAIST (inches)	77	80	83	85	88						
SHIRTS, KNITWEAR & JACKETS SIZES	2XS	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
WOMEN'S CONVERSION	6	8	10	12	14	16	18	20	22	24	
TO FIT NECK (cm)	32/33	34/35	36/37	38/39	41/42	43/44	45/46	48/49	50/51	52/53	55/56
TO FIT CHEST (cm)	82	87	92	97	102	107	112	117	122	127	132
COLE SUPPLIES RECOMMENDS	80-85	85-92	90-94	95-99	100-104	105-109	110-114	115-119	120-124	124-129	130-134
WOMEN'S SHIRT & PANTS SIZES	6	8	10	12	14	16	18	20	22	24	
TO FIT NECK (cm)	35	36	37	38	39	41	42	43	44	45	
TO FIT BUST (cm)	82	87	92	97	102	107	112	117	122	127	
TO FIT WAIST (cm)	67	75	77	82	87	92	97	102	107	112	
TO FIT HIPS (cm)	87	93	98	103	108	113	118	123	128	133	
TO FIT INLEG (cm)	74	74	76	78	78	80	82	82	84	84	

CARE AND MAINTENANCE



FR GARMENTS CARE INSTRUCTIONS

FLAME RESISTANT GARMENTS REQUIRE SPECIAL LAUNDERING AND CARE TO OPTIMISE THEIR PERFORMANCE AND PROLONG THE PROTECTIVE QUALITY OF FABRICS.

WASH GARMENT SEPARATELY BEFORE FIRST USE. WASH GARMENT WITH SIMILAR COLOURS OR WITH OTHER FR GARMENTS



WARM MACHINE WASH
DO NOT WASH OVER 60°C
DO NOT USE SOAP



DO NOT USE BLEACH OR WHITENERS
THIS INCLUDES SOAKERS
DO NOT USE FABRIC SOFTENERS ON FR GARMENTS
DO NOT USE ACID RINSE
(e.g. vinegar, citric acid, acetic acid or any acid mostly used in commercial laundering)
LAUNDRY ADDITIVES CAN COAT THE FIBER AND MASK THE FR PERFORMANCE OR SERVE AS FUEL IN CASE OF COMBUSTION. THEREFORE THEIR USE IS NOT RECOMMENDED.



LINE DRY IN SHADE
AVOIDING PROLONG TIME IN SUNLIGHT REDUCES COLOUR FADING - SPECIALLY FOR HI VIS COLOURS



DO NOT TUMBLE DRY OR OVER DRY
OTHERWISE IT WILL RESULT IN EXCESSIVE SHRINKAGE



WARM IRON ON REVERSE SIDE
DO NOT IRON TAPE IF APPLICABLE



DRY CLEANABLE
PERCHLOROETHYLENE OR PETROLEUM SOLVENTS MAY BE USED. ENSURE ALL SOLVENTS ARE COMPLETELY EVAPORATED OR DRIED. DRY CLEANING IS THE PREFER OPTION FOR HEAVY, OILY STAINS



TIPS

If garments become contaminated with flammable substances, heavy soiled or with heavy grease stains. They should be removed immediately and replaced with clean FR apparel. Do not store garments in direct heat or sunlight. Check garments regularly for serviceability and replace garments if there are signs of fading, breakage or they are heavily soiled.



TESTED TO INDUSTRY STANDARDS

AUSTRALIAN STANDARDS



GARMENT DESIGNED IN ACCORDANCE TO:

AS/NZS 4602.1:2011: High visibility Safety Garments. Part 1 - Garments for high risk applications.

ENA NENS 09-2014: National Guideline for the Selection, Use and Maintenance of Personal Protection Equipment for Electrical Arc Hazards (Energy Networks Australia) - Design details.

AS/NZS 1020:1995: The control of undesirable static Electricity.

FABRIC TESTED TO:

AS/NZS 4399:2020: Sun protective clothing evaluation and classification.

AS/NZS 1906.4:2010: High-visibility materials for safety garments. Retroreflective materials and devices for road traffic control purposes – High visibility materials for safety garments.

INTERNATIONAL STANDARDS

WITH CORRESPONDING FABRIC TESTING METHODS:

NFPA70E: Standard for Electrical Safety in the Workplace®

ASTM F1506: Standard performance specification for flame resistant and arc rated textile materials for wearing apparel for use by electrical workers exposed to momentary electric arc and related thermal hazards.

ASTM F1959 - Arc Thermal Performance Value Rating.

NFPA2112: Standard on Flame-Resistant Clothing for Protection of Industrial Personnel Against Short-Duration Thermal Exposures from Fire.

ASTM D6413 - Flame Resistance - Vertical Flammability test method.

ISO 11612:2015: Protective clothing -Clothing to protect against heat and flame - Minimum performance requirements.


ISO 15025:2000 - Method of test for limited flame spread.

EN 1149-5:2018 / EN1149-3: Protective clothing. Electrostatic properties. Material performance and design requirements.









BOOMERANG




WE ARE CONSCIOUS

of our footprint on the environment. The wood pulp fibre in our garments is sourced from plantation grown and managed forestry, rather than ancient forests.

We are also committed to the social and environmental sustainability of our manufacturing partners. Our approach to ethical sourcing is one of complete transparency and continuous improvement. Our supply and distribution partners also hold these same values.





BOOMERANG® WORKWEAR & PPE
IS DISTRIBUTED BY BUNZL SAFETY
(A SUPPLY NATION MEMBER)

**FOR FURTHER INFORMATION,
PLEASE CONTACT:**

HEAD OFFICE

1800 967 573

bunzlsafety.com.au
