Be Safe.. Think

B-Safe

# ARREST OF THE STATE OF THE STAT



## **Arresto Inertia Reels** (Self Retracting Lifeline's)

#### **Lightweight & Robust For A Variety Of Applications**

The new B-Safe Arresto inertia reels/self-retracting lifelines (SRL's) are fast acting, heavy duty fall arrestors that limit the free fall distance, deceleration distance and fall arrest forces while enabling freedom of movement for the user.

- Durable Heavy Duty thermoplastic casing
- Lightweight units for easier handling
- 140kg capacity on all units
- Reliable Fall Indicators to alert the user when the unit has been impact loaded
- **Top And Bottom Swivel** connectors on all cable models to prevent lifeline from twisting
- Locally Serviceable all units (except the Arresto Mini models) can be serviced and repaired at our NATA accredited repair centres nationally
- **High Strength** galvanised cabling or technora polyester webbing provides superior durability
- **Dual Retrieval Models** with ergonomic handle and side locking pin enabling the unit to work in independent fall arrest and winch modes



Dual retrieval/SRL models can be easily mounted to tripods.

#### **Local Servicing**


All units (except the Arresto Mini Range) can be serviced locally for cost effectiveness and fast turnaround.






### Why Choose The Arresto Range





#### ULTRA-LIGHTWEIGHT MODELS

Extremely lightweight and easy to carry (less than 600gms) with either a quarter turn locking karabiner or triple action karabiner.



**Selection Guide** 

duide		a a												
		BMIC02-130AT			BPWSW7									
Wir	e Rope 4.5mm	2m	2m	3.5m	7.5m	12m	5m	10m	15m ✓	20m ✓	30m	10m	20m	25m
	yester Webbing Technora 21mm	/	/				V	V	V	V	V	V	V	V
	yester Webbing 25mm	V	_ v	/	/	/								
Dual Swive 140k	Il Fall Arrest			· ·	V	V						/	/	/
	velling Anchorage	/	/	/	/	/	/	/	/	/	/	/	/	/
	kg Capacity (1 Person)	1	/	1	/	/	1	1	1	/	1	1	1	1
	rying Handle	/	/	/		/	/	/	/	/	/	/	/	1
Retrieval Handle  Quarter Turn Locking Karabiner												1	/	1
			/											
Tripl	le Action Locking Karabiner	/												
Self	Locking Snap Hook			1	/	1	/	/	/	/	/	/	/	1
Fall	Indicator	/	/	/	/	/	/	/	/	/	<i>J J J J</i>			
16kN Gate Strength		1	1	1	/	1	1	1	1	1	/	1	/	/
Inbuilt Energy Absorber		1	1		/			/						
Tripod Mountable												/	/	/
Heavy Duty Plastic Casing		<b>√</b>	1	<b>✓</b>	/	/	/	1	1	/	<b>✓</b>	1	/	1
Serviceable				/	<b>√</b>	1	1	1	1	/	<b>✓</b>	1	/	1
Quick Scan Technology QR Code		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	/	1
Ligi	ntweight Technology	✓	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>								
eria	Edge Tested (to 100kg)	✓	<b>√</b>	✓	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>✓</b>	<b>/</b>
g Crit	Static Strength		or 3 min											
Testing Criteria	Dynamic Performance		100kg mass free fall of 600mm with breaking force of less than 6kN & arrest distance of less than 2 metres.											
Standards		Meets	EN360	and AS/I	NZS 189	91.3								
Special Instructions		Please	refer to	Arresto	Technic	al User	Manuals	for furt	her infor	mation				

Be Safe.. Think





**Call:** 1300 783 606 **Visit:** bsafe.com.au